


MAUI 1996

Design Vico Magistretti




2870

2891  Self-extinguishing chair




2872



2874 Right tablet arm

2869 Left tablet arm



2875 Trolley for chairs

2873 Linking device



00
Black



1A
Aluminium




2870
2891



2872


EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



2870	2	12.0	0.302	59X58X90
2891	4	22.6	0.381	59X100X58
2872	2	14.3	0.302	58X58X90
2874	2	17.0	0.303	59X90X58
2869	2	17.0	0.303	59X90X58


2878

Swivel chair adjustable in height



2879

Swivel armchair adjustable in height



FRAME

Chrome-plated steel

SHELL/ARMS

Smooth batch-dyed polypropylene


TABLE

Laminated stratified H.P.L.


2870/2872/2874/2869/2878/2879



2891



Fire-resistant version
IT UNI 9177 fire reaction test,
class 1 ministerial certification
MI1848D30D100027



2878	1	9.8	0.220	58X90X58
2879	1	11.0	0.256	57X84X52

EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3